



نقدم بثقة  
Moving Forward  
with Confidence



**To:**

**Director General of Royal Hospital  
Director General of Khoula Hospital  
Director General of Medical Supplies (MOH)  
Director General of Pvt. Health Est. Affairs (to kindly arrange distribution to all Pvt. Health Institutions)  
Director General of Health Services in all Governorates  
Hospital Director (Al Nahda Hospital)  
Hospital Director (Al Massara Hospital)  
The Head of Medical Services in SQU Hospital  
The Head of Medical Services in Royal Oman Police  
The Head of Medical Services in Ministry of Defense  
The Head of Medical Services in The Diwan  
The Head of Medical Services in The Sultan's Special Force  
The Head of Medical Services in Internal Security Services  
The Head of Medical Services in Petroleum  
The Head of Medical Services in LNG Oman  
Director of Pharmacy of Qaboos Comprehensive Cancer Care & Research Center  
Director of Pharmacy & Medical Stores in all Governorate (for distribution)  
Marketing Authorization Holders & Pharmaceutical Companies  
**ALL PRIVATE PHARMACIES & DRUG STORES**  
**M/s. EIPICO- EGYPT****

**After Compliments,**

**Kindly find attached Circular No 175 dated 23/07/2025 regarding Batch Recall of (MAFO)  
IBUPROFEN 400mg Tablets – from M/s. EIPICO- Egypt - B/No. 2403515**

**Copy to:**

- Undersecretary Office for Planning and Health Regulation
- Director, Office of H.E. The Undersecretary for Health Affairs
- Director of Pharmacovigilance & Drug Information Dept, DSC
- Director of Drug Control Department, DSC
- Director of Pharmaceutical Licensing Department, DSC
- Director of Central Quality Control Lab., DSC
- Director of Medical Device Control, DSC
- Section Head PV for Herbal Medicine & Health Products.
- Section Head PV for Human Medicine
- Section Head of Central Drug Information
- National Pharmacovigilance Technical Committee



نتقدم بثقة  
Moving Forward  
with Confidence



**Circular No. 175/2025**

27-01-1447 H

23-07-2025

**Batch Recall / سحب تشغيلة**

**MAFO Tablets 400mg**

<b>Recall</b>	<b>Class II</b>	<b>تصنيف السحب</b>
<b>Recall level</b>	<b>Retail Level</b>	<b>مستوى السحب</b>
<b>Product Information</b>		<b>معلومات المستحضر</b>
Product Name	MAFO Tablets 400mg	اسم المستحضر
Active Ingredient(s)	IBUPROFEN 400mg Tablets	المادة الفعالة
Batch Details	2403515	تفاصيل التشغيلة
Manufacturer	EIPICO- Egypt	الشركة المصنعة
Local Agent	DAWAKUM	الوكيل المحلي
<b>Reason for Recall</b>		<b>سبب السحب</b>
Batch recall of the above mentioned product due to non-comply physically with company specification according to the result from analysis by CQCL in DSC.		سحب تشغيلة من الدواء المذكور أعلاه ، وذلك لعدم مطابقتها للمواصفات الفيزيائية، بناءً على تحليل المختبر المركزي لتحاليل الأدوية.
<b>Recommendation</b>		<b>التوصيات</b>
M/S: DAWAKUM: - To arrange recall of the above batch & to follow Circular No. 73/2019 (Guideline for Medicines & Pharmaceutical Products Recall Procedure)		على الوكيل المحلي ( دوائكم ) : إتخاذ اللازم لسحب التشغيلة المذكورة، وإتباع التعليمات الخاصة بالسحب كما جاء في التعميم رقم 2019/73 (دليل سحب الأدوية والمستحضرات الصيدلانية)

**Ph. Ibrahim Nasser Al Rashdi  
Director General**







نتقدم بثقة  
Moving Forward  
with Confidence



<b>Link to circular</b>	<a href="https://moh.gov.om/en/ministry/drug-safety-center-circulars/">https://moh.gov.om/en/ministry/drug-safety-center-circulars/</a>	<b>رابط التعميم</b>
<b>Reporting ADR/Product defects/Medication errors</b>	الإبلاغ عن الآثار العكسية للأدوية / مشاكل الجودة / الأخطاء الدوائية	
<b>Department of Pharmacovigilance &amp; Drug Information</b> <b>Phone No:</b> +968 22357686, 7687 <b>Fax:</b> +96822358489 <b>web site:</b> <a href="https://moh.gov.om/en/ministry/drug-safety-center-circulars/">https://moh.gov.om/en/ministry/drug-safety-center-circulars/</a>	دائرة التيقظ و المعلومات الدوائية هاتف رقم: 0096822357687/0096822357686 فاكس: 0096822358489 الموقع الإلكتروني: عن-الوزارة/تعاميم-مركز -/ar/ <a href="https://moh.gov.om/ar/-/سلامة-الدواء/">https://moh.gov.om/ar/-/سلامة-الدواء/</a>	
<b>Definition(s)</b>	<b>التعريفات</b>	
<b><u>Batch Recall</u></b>  The action of withdrawing batch/batches of a medicinal product from the distribution chain and users for reasons relating to deficiencies in the quality, safety or efficacy.  <b><u>Class II recall</u></b>  This recall occurs when product defects could cause illness or mistreatment, but are not Class I.  <b><u>Retail Level recall</u></b>  Include: <ul style="list-style-type: none"> <li>All government and private health institutions</li> <li>Community pharmacies</li> <li>Healthcare professionals</li> <li>May also include wholesales</li> </ul>	<b><u>سحب تشغيلة:</u></b>  العمل على سحب تشغيلة أو تشغيلات محددة من المستحضر الصيدلاني من سلسلة التوزيع لأسباب تتعلق بجودة و سلامة و فعالية المستحضر الصيدلاني، ولا يشمل باقي التشغيلات الأخرى من نفس المستحضر.  <b><u>السحب من الفئة الثانية:</u></b>  يحدث هذا السحب عندما تسبب عيوب الدواء أو المستحضر الصيدلاني المرض أو سوء العلاج ، ولكنها ليست بخطورة الفئة الأولى.  <b><u>مستوى السحب (Retail)</u></b>  يشمل: <ul style="list-style-type: none"> <li>جميع المؤسسات الصحية الحكومية والخاصة.</li> <li>صيدليات المجتمع.</li> <li>متخصصو الرعاية الصحية.</li> <li>جميع الأطراف المشاركة في توزيع الأدوية والمستحضرات الصيدلانية بالجملة (مستودعات الأدوية) و الموردين.</li> </ul>	